

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 19.10.2017

Version number 2

Revision: 19.10.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: ARMOR MEDIUM 30

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture: Lubricant

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

LPC S.A.

Megaridos Avenue 124

Aspropyrgos - Attica , 193 00

Tel.: 210 - 809 3900

Fax: 210 - 809 3999

e-mail: technical@cyclon.gr

1.4 Emergency telephone number:



European Emergency Tel.: 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation EC No 1272/2008 CLP:

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation EC No 1272/2008 CLP:

The product is classified and labelled according to the CLP regulation.

Hazard pictograms: Void

Signal word: Void

Hazard statements:

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 19.10.2017

Version number 2

Revision: 19.10.2017

Trade name: ARMOR MEDIUM 30

(Contd. of page 1)

SECTION 3: Composition/information on ingredients**3.2 Chemical characterisation: Mixtures****Description:** Mixture**Ingredients according Regulation (EU) 830/2015:**

CAS: 121158-58-5 EC number: 310-154-3 Index number: 604-092-00-9 Reg.nr.: 01-2119513207-49-XXXX	phenol, dodecyl-, branched ☠ Repr. 1B, H360F; ☠ Skin Corr. 1C, H314; Eye Dam. 1, H318; ☠ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10)	≥0.025-≤0.1%
CAS: 74499-35-7 Index number: 604-092-00-9	phenol, 2-dodecyl-, branched ☠ Repr. 1B, H360F; ☠ Skin Corr. 1C, H314; Eye Dam. 1, H318; ☠ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10)	≥0.025-≤0.1%

Ingredients

CAS: 64742-54-7 EINECS: 265-157-1 Index number: 649-467-00-8 Reg.nr.: 01-2119484627-25-XXXX	Distillates (petroleum), hydrotreated heavy paraffinic	≥0.1-≤2.5%
CAS: 4259-15-8 EINECS: 224-235-5 Reg.nr.: 01-2119493635-27-XXXX	2-ethylhexyl zinc dithiophosphate ☠ Eye Dam. 1, H318; ☠ Aquatic Chronic 2, H411	≥0.25-≤1%
CAS: 722503-69-7	Calcium long chain alkaryl sulfonate Aquatic Chronic 4, H413	≥0.1-≤2.5%
CAS: 84605-20-9	Polyisobuteneyl suddinimide Aquatic Chronic 4, H413	≥0.1-≤2.5%
CAS: 68784-26-9 EINECS: 272-234-3 Reg.nr.: 01-2119524004-56-XXXX	Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased Aquatic Chronic 4, H413	≥0.1-≤2.5%
CAS: 107-21-1 EINECS: 203-473-3 Index number: 603-027-00-1 Reg.nr.: 01-2119456816-28-XXXX	ethanediol ☠ STOT RE 2, H373; ☠ Acute Tox. 4, H302	≤0.1%
CAS: 722503-68-6 Polymer	Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts ☠ Skin Sens. 1, H317; Aquatic Chronic 4, H413	≤0.1%

Additional information:

For the wording of the listed hazard phrases refer to section 16.

The classification as a carcinogen does not need to apply because the substance Distillates (petroleum), hydrotreated heavy paraffinic (cas number 64742-54-7) contains less than 3 % DMSO extract.

SECTION 4: First aid measures**4.1 Description of first aid measures****General information:** Take affected persons out into the fresh air.**After inhalation:** Seek medical treatment in case of complaints.**After skin contact:** Wash the skin immediately with soap and water.

(Contd. on page 3)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 19.10.2017

Version number 2

Revision: 19.10.2017

Trade name: ARMOR MEDIUM 30

(Contd. of page 2)

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

4.2 Most important symptoms and effects, both acute and delayed Not known or expected results.**4.3 Indication of any immediate medical attention and special treatment needed**

No special measures are required.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing agents:** CO₂, powder or water spray. Fight larger fires with water spray.**5.2 Special hazards arising from the substance or mixture**

In case of fire, the following can be released:

Carbon monoxide (CO)

Carbon dioxide (CO₂)**5.3 Advice for firefighters****Protective equipment:** Use of protective clothes and respiratory device is being recommended in case of fire.**Additional information** Collect contaminated fire fighting water separately. It must not enter the sewage system.**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures:****6.1.1 For non-emergency personnel**

Keep away from ignition sources.

Caution for slippery surfaces.

6.1.2 For emergency responders

Use chemicals resistant gloves.

Use antistatic and slip resistant boots.

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Prevent from spreading (e.g. by damming-in or oil barriers).

Control leakage with a non combustible absorbent material, such as earth or sand.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel).

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage**7.1 Precautions for safe handling** No special measures required.**Information about fire - and explosion protection:**

Keep away from sources of ignition and flammable materials.

7.2 Conditions for safe storage, including any incompatibilities**Storage:**

Protect from heat and direct sunlight.

Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 4)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 19.10.2017

Version number 2

Revision: 19.10.2017

Trade name: ARMOR MEDIUM 30

(Contd. of page 3)

Requirements to be met by storerooms and receptacles: Store in a cool location.**Information about storage in one common storage facility:** Not required.**Further information about storage conditions:** None.**7.3 Specific end use(s)** No further relevant information available.**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

8.2 Exposure controls**8.2.1. Appropriate engineering controls** Use of local ventilation is advised.**Personal protective equipment****General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Respiratory protection: Not required.**Protection of hands:**

Protective gloves

Penetration time of glove material

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eye protection:

Goggles recommended during refilling

Body protection:

Protective work clothing

Environmental exposure controls: No further recommendations. See section 6.**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties****General Information****Appearance:**

Form:	Liquid
Colour:	brown
Odour:	Oil
Odour threshold:	Not determined

(Contd. on page 5)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 19.10.2017

Version number 2

Revision: 19.10.2017

Trade name: ARMOR MEDIUM 30

(Contd. of page 4)

pH value:	Not determined
Melting point/freezing point:	Not determined
Initial boiling point and boiling range:	Not determined
Flash point:	242°C
Flammability (solid, gas):	Not applicable
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined
Upper:	Not determined
Oxidising properties	Not considered as oxidising.
Vapour pressure:	Not determined
Density:	0,886g/cm ³
Relative density	Not determined
Vapour density	Not determined
Evaporation rate	Not determined
Solubility in / Miscibility with	
water:	Not miscible
aliphatic hydrocarbons:	Fully miscible.
aromatic hydrocarbons:	Fully miscible.
Partition coefficient: n-octanol/water:	Not determined
Viscosity:	
Dynamic:	Not determined
Kinematic at 40°C:	104cSt
Kinematic viscosity at 100°C	11,5cSt
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity Stable under normal conditions

10.2 Chemical stability Material is stable under normal conditions.

Thermal decomposition / conditions to be avoided

No decomposition if used and stored according to specifications.

Stable at environment temperature.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid Oxidising agents

10.5 Incompatible materials No further relevant information available.

(Contd. on page 6)

GB

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 19.10.2017

Version number 2

Revision: 19.10.2017

Trade name: ARMOR MEDIUM 30

(Contd. of page 5)

10.6 Hazardous decomposition products No dangerous decomposition products known.**SECTION 11: Toxicological information****11.1 Information on toxicological effects****Acute toxicity** Based on available data, the classification criteria are not met.**Skin corrosion/irritation** Based on available data, the classification criteria are not met.**Serious eye damage/irritation** Based on available data, the classification criteria are not met.**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)****Germ cell mutagenicity** Based on available data, the classification criteria are not met.**Carcinogenicity** Based on available data, the classification criteria are not met.**Reproductive toxicity** Based on available data, the classification criteria are not met.**STOT-single exposure** Based on available data, the classification criteria are not met.**STOT-repeated exposure** Based on available data, the classification criteria are not met.**Aspiration hazard** Based on available data, the classification criteria are not met.**SECTION 12: Ecological information****12.1 Toxicity****Aquatic toxicity:** No further relevant information available.**12.2 Persistence and degradability** No further relevant information available.**12.3 Bioaccumulative potential** No further relevant information available.**12.4 Mobility in soil** No further relevant information available.**12.5 Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Other adverse effects**

Uncontrolled release of the product to the environment must be prohibited.

The product floats on water and does not mix with it.

Spillage of the product may form a layer on the water surface which can damage aquatic organism due to lack of oxygenation.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Recommendation**

In case of discarding waste oil, according European Directive 75/439/EEC, recycling of the product is recommended. Disposal of large amounts must be carried out from qualified, authorized body.



Dispose according to National Regulations.

Contact manufacturer for recycling information.

Uncleaned packaging:**Recommendation:**

Disposal must be made according to official regulations.

(Contd. on page 7)

GB

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 19.10.2017

Version number 2

Revision: 19.10.2017

Trade name: ARMOR MEDIUM 30

Packaging may be reused or recycled after cleaning.

(Contd. of page 6)

SECTION 14: Transport information

14.1 UN-Number	Void
ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name	Void
ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	Void
ADR, ADN, IMDG, IATA	
Class	Void
14.4 Packing group	Void
ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Note L applies. DMSO content is below 3%.

REACH Regulation 1907/2006/EC

Regulation (EU) 2015/830

CLP Regulation 1272/2008/EC

Constituents of the mixture that fall within the scope of REACH Regulation 1907/2006/EC, have been (pre)-registered.

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

National regulations: No further information available.

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

(Contd. on page 8)

Safety data sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 19.10.2017

Version number 2

Revision: 19.10.2017

Trade name: ARMOR MEDIUM 30

(Contd. of page 7)

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H360F May damage fertility.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

Training hints

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Repr. 1B: Reproductive toxicity – Category 1B

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

*** Data compared to the previous version altered.**