



Printing date 05.05.2017 Version number 1 Revision: 04.05.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: CYCLON RADIATOR LL G12+

Registration number: Substances contained in the mixture have already (pre)-registered by the suppliers.

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture: Antifreeze

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

LPC S.A.

Megaridos Avenue 124

Aspropyrgos - Attica, 193 00

Tel.: 210 - 809 3900 Fax: 210 - 809 3999

e-mail: technical@cyclon.gr

1.4 Emergency telephone number:



Emergency telephone number: 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation EC No 1272/2008 CLP:



GHS08 health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Eye Irrit. 2 H319 Causes serious eye irritation.

2.2 Label elements

Labelling according to Regulation EC No 1272/2008 CLP:

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

(Contd. of page 1)

Safety Data Sheet complying with Regulation 1907/2006/EC (REACH Regulation), EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 05.05.2017 Version number 1 Revision: 04.05.2017

Trade name: CYCLON RADIATOR LL G12+

Hazard pictograms:





GHS07 GHS08

Signal word: Warning

Hazard-determining components of labelling:

ethanediol

Hazard statements:

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

P102 Keep out of reach of children.

P280 Wear eye protection / face protection.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P314 Get medical advice/attention if you feel unwell.

P330 Rinse mouth.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

Description: Mixture: consisting of the following components.

| Ingredients according | Regulation | (EU |) 830/2015: |
|-----------------------|------------|-----|-------------|
|-----------------------|------------|-----|-------------|

CAS: 107-21-1 ethanediol EINECS: 203-473-3 STOT Index number: 603-027-00-1

Index number: 603-027-00-1 Reg.nr.: 01-2119456816-28-XXXX

♦ STOT RE 2, H373; ♦ Acute Tox. 4, H302

2.5-<3%

25-50%

EINECS: 221-625-7

Potassium 2-ethylhexanoate

🚸 Repr. 2, H361; 📀 Eye Dam. 1, H318; 🗘 Skin Irrit. 2, H315

— GB

Printing date 05.05.2017 Version number 1 Revision: 04.05.2017

Trade name: CYCLON RADIATOR LL G12+

(Contd. of page 2)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Take affected persons out into the fresh air.

Seek immediate medical advice.

After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air and to be sure call for a doctor.

Seek medical treatment in case of complaints.

After skin contact: Generally the product does not irritate the skin.

After eve contact: Avoid strong water jet-risk of cornea damage, consult a doctor.

After swallowing:

Call for a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed Not known or expected results.

4.3 Indication of any immediate medical attention and special treatment needed

No special measures are required.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray.

Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Carbon dioxide (CO2)

During heating or in case of fire poisonous gases are produced.

5.3 Advice for firefighters

Protective equipment:

Wear fully protective suit.

Mouth respiratory protective device.

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

6.1.1 For non-emergency personnel Avoid contact with skin and eyes.

6.1.2 For emergency responders

Use chemicals resistant gloves.

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

Printing date 05.05.2017 Version number 1 Revision: 04.05.2017

Trade name: CYCLON RADIATOR LL G12+

(Contd. of page 3)

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel).

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use adequate personal protective equipment as required. For more information regarding protective equipment see section 8.

Information about fire - and explosion protection:

Keep away from sources of ignition and flammable materials.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Protect from heat and direct sunlight.

Store in cool, dry conditions in well sealed receptacles.

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Keep container tightly sealed.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

| lngredients | with | limit v | alues th | ıat regu | tire moni | itoring a | ıt the | workpl | ace: |
|-------------|------|---------|----------|----------|-----------|-----------|--------|--------|------|
| 8 | | | | | | | | | |

107-21-1 ethanediol

| WEL (Great Britain) | Short-term value: 104** mg/m³, 40** ppm |
|---------------------|---|
| | Long-term value: 10* 52** mg/m ³ , 20** pp |

Sk *particulate **vapour

IOELV (EU) Short-term value: 104 mg/m³, 40 ppm

Long-term value: 52 mg/m³, 20 ppm

Skin

8.2 Exposure controls

8.2.1. Appropriate engineering controls Use of local ventilation is advised.

Personal protective equipment

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

(Contd. on page 5)

Printing date 05.05.2017 Version number 1 Revision: 04.05.2017

Trade name: CYCLON RADIATOR LL G12+

(Contd. of page 4)

Respiratory protection:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Eye protection:



Tightly sealed goggles

Body protection:



Protective work clothing

Environmental exposure controls: No further recommendations. See section 6.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form: Liquid

Colour: Light coloured

Odour: Light

Odour threshold: Not determined

pH value: Not determined
Melting point/freezing point: Not determined
Initial boiling point and boiling range: 109 °C (minimum)

Setting temperature / range: -39 °C

Flash point: >122 °C

Flammability (solid, gas): Not applicable

Auto-ignition temperature: Not determined

Decomposition temperature: Not determined

Auto-ignition temperature: Product is not selfigniting.

(Contd. on page 6)

Printing date 05.05.2017 Version number 1 Revision: 04.05.2017

Trade name: CYCLON RADIATOR LL G12+

(Contd. of page 5)

Explosive properties: Product does not present an explosion hazard.

Explosion limits:

Lower: Not determined Upper: Not determined

Oxidising properties Not considered as oxidising.

Vapour pressure: Not determined

Density at 20 °C:1.051 kg/lRelative densityNot determinedVapour densityNot determinedEvaporation rateNot determined

Solubility in / Miscibility with

water: Fully miscible

Partition coefficient: n-octanol/water: Not determined

Viscosity:

Dynamic: Not determined **Kinematic:** Not determined

9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity Stable under normal conditions

10.2 Chemical stability Material is stable under normal conditions.

Thermal decomposition / conditions to be avoided Stable at environment temperature.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid Oxidising agents
- **10.5 Incompatible materials** No further relevant information available.
- **10.6 Hazardous decomposition products** No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Harmful if swallowed.

LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 1923 mg/kg

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

The mixture is not carcinogenetic, mutagenetic, toxic for reproduction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

(Contd. on page 7)

Revision: 04.05.2017 Version number 1 Printing date 05.05.2017

Trade name: CYCLON RADIATOR LL G12+

(Contd. of page 6)

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

Uncleaned packaging:

Recommendation:

Disposal must be made according to official regulations.

Packaging may be reused or recycled after cleaning.

| SECTION 14: Transport information | | |
|-----------------------------------|------|--------------------|
| 14.1 UN-Number | Void | |
| ADR, ADN, IMDG, IATA | Void | |
| 14.2 UN proper shipping name | Void | |
| ADR, ADN, IMDG, IATA | Void | |
| 14.3 Transport hazard class(es) | Void | |
| ADR, ADN, IMDG, IATA | | |
| Class | Void | |
| 14.4 Packing group | Void | |
| ADR, IMDG, IATA | Void | |
| | | (Contd. on page 8) |

Printing date 05.05.2017 Version number 1 Revision: 04.05.2017

Trade name: CYCLON RADIATOR LL G12+

(Contd. of page 7)

14.5 Environmental hazards:Not applicable.14.6 Special precautions for userNot applicable.

14.7 Transport in bulk according to Annex II of

Marpol and the IBC Code Not applicable.

UN "Model Regulation": Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH Regulation 1907/2006/EC

Regulation (EU) 2015/830

CLP Regulation 1272/2008/EC

Constituents of the mixture that fall within the scope of REACH Regulation 1907/2006/EC, have been (pre)-registered.

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed. REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

National regulations: No further information available.

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H361 Suspected of damaging fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

Training hints

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

Department issuing SDS:



SUSTCHEM Engineering Ltd

REACH & Chemical Services Department

144, 3rd Septemyriou, GR 112 51, Athens, Greece

Tel.: +30 210 8252510 Fax: +30 210 8252575

E-mail: info@suschem.gr Website: www.sustchem.gr

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 9)

(Contd. of page 8)

Safety Data Sheet complying with Regulation 1907/2006/EC (REACH Regulation), EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 05.05.2017 Version number 1 Revision: 04.05.2017

Trade name: CYCLON RADIATOR LL G12+

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Repr. 2: Reproductive toxicity – Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2