

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 07.04.2021

Version number 2

Revision: 07.04.2021

\*

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name:** MAGMA SYN ULTRA-S 5W30**Description / Product Code:** FORMULA ID: 51**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**Application of the substance / the mixture:** Lubricant**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Company responsible for the placing on the market:

LPC S.A.

Megaridos Avenue 124

Aspropyrgos - Attica , 193 00

Tel.: 210 - 809 3900

Fax: 210 - 809 3999

e-mail: technical@cyclon.gr

**1.4 Emergency telephone number:**

European Emergency Tel.: 112

\*

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation EC No 1272/2008 CLP:**

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

**2.2 Label elements****Labelling according to Regulation EC No 1272/2008 CLP:**

The product is classified and labelled according to the CLP regulation.

**Hazard pictograms:** Void**Signal word:** Void**Hazard statements:**

H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements**

P102 Keep out of reach of children.

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.3 Other hazards****Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.

**Safety data sheet**  
 complying with Regulation 1907/2006/EC (REACH Regulation),  
 EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 07.04.2021

Version number 2

Revision: 07.04.2021

Trade name: MAGMA SYN ULTRA-S 5W30

(Contd. of page 1)






\*

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

**Description:** Mixture: consisting of the following components.

#### Ingredients according Regulation (EU) 2020/878:

|  |  |               |
|--|--|---------------|
| CAS: 72623-87-1<br>EINECS: 276-738-4<br>Index number: 649-483-00-5<br>Reg.nr.: 01-2119474889-13-XXXX     | Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based   | <90%          |
|  |  Asp. Tox. 1, H304  |               |
| CAS: 36878-20-3<br>EINECS: 253-249-4<br>Reg.nr.: 01-2119488911-28-XXXX                                   | Bis(nonylphenyl)amine  | ≤2.5%         |
|  | Aquatic Chronic 4, H413  |               |
| CAS: 121158-58-5<br>EC number: 310-154-3<br>Index number: 604-092-00-9<br>Reg.nr.: 01-2119513207-49-XXXX | phenol, dodecyl-, branched   | ≥0.025-<0.25% |
|  |  Repr. 1B, H360F;  Skin Corr. 1C, H314;  Eye Dam. 1, H318;  Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=10) |               |

#### Additional information:

The classification as a carcinogen does not need to apply because the substance Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (CAS: 72623-87-1) contains less than 3% DMSO extract (Note L). For the wording of the listed hazard phrases refer to section 16.

\*

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General information:

No special measures required.

Take affected persons out into the fresh air.

##### After inhalation:

If breathing is difficult, remove to fresh air. Restore breathing. Keep warm and quiet. Notify physician.

Seek medical treatment in case of complaints.

##### After skin contact:

Remove contaminated clothing.

In case of skin irritation, consult a physician.

##### After eye contact:

Rinse eyes immediately with plenty of water, alternately lifting the upper and lower eyelids.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

Avoid strong water jet-risk of cornea damage, consult a doctor.

##### After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

Never give anything by mouth to an unconscious person.

**4.2 Most important symptoms and effects, both acute and delayed** Not known or expected results.

(Contd. on page 3)

**Safety data sheet**  
complying with Regulation 1907/2006/EC (REACH Regulation),  
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 07.04.2021

Version number 2

Revision: 07.04.2021

Trade name: MAGMA SYN ULTRA-S 5W30

(Contd. of page 2)

**4.3 Indication of any immediate medical attention and special treatment needed**

No special measures are required.

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing agents:**CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray.

Use fire extinguishing methods suitable to surrounding conditions.

**5.2 Special hazards arising from the substance or mixture**In a fire nitrogen oxides (NO<sub>x</sub>), carbon monoxide (CO), sulfur dioxide (SO<sub>2</sub>) can be released.**5.3 Advice for firefighters****Protective equipment:** No special measures required.**Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures:**

Particular danger of slipping on leaked/spilled product.

Wear protective equipment. Keep unprotected persons away.

**6.1.1 For non-emergency personnel**

Caution for slippery surfaces.

Avoid contact with skin and eyes.

**6.1.2 For emergency responders**

Use chemicals resistant gloves.

Use antistatic and slip resistant boots.

Wear protective equipment. Keep unprotected persons away.

**6.2 Environmental precautions:**

Prevent from spreading (e.g. by damming-in or oil barriers).

Do not allow to enter sewers/ surface or ground water.

**6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel).

**6.4 Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling** Avoid contact with skin, eyes and clothing.**Information about fire - and explosion protection:** No special measures required.**7.2 Conditions for safe storage, including any incompatibilities****Storage:** Store in cool, dry conditions in well sealed receptacles.**Requirements to be met by storerooms and receptacles:** Store in a cool location.**Information about storage in one common storage facility:** Not required.**Further information about storage conditions:** None.**7.3 Specific end use(s)** No further relevant information available.

GB

(Contd. on page 4)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 07.04.2021

Version number 2

Revision: 07.04.2021

Trade name: MAGMA SYN ULTRA-S 5W30

(Contd. of page 3)

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**8.2 Exposure controls****8.2.1. Appropriate engineering controls**

During the use of this product no appropriate engineering controls are needed.

**Individual protection measures, such as personal protective equipment****General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

**Respiratory protection:**

In case of insufficient ventilation use respiratory device.

**Hand protection**

Protective gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

**Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

**Eye/face protection**

Goggles recommended during refilling

(Contd. on page 5)

GB

**Safety data sheet**  
 complying with Regulation 1907/2006/EC (REACH Regulation),  
 EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 07.04.2021

Version number 2

Revision: 07.04.2021

Trade name: MAGMA SYN ULTRA-S 5W30

(Contd. of page 4)

**Body protection:**



Protective work clothing

**\* SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

**General Information**

|   |                              |
|---|------------------------------|
| <b>Physical state</b>   | Liquid                       |
| <b>Colour:</b>  | brown                        |
| <b>Odour:</b>   | Not determined               |
| <b>Odour threshold:</b>   | Not determined               |
| <b>Melting point/freezing point:</b>                            | Not determined               |
| <b>Boiling point or initial boiling point and boiling range</b> | Not determined               |
| <b>Flammability</b>   | Not applicable               |
| <b>Lower and upper explosion limit</b>                          |                              |
| <b>Lower:</b>   | Not determined               |
| <b>Upper:</b>   | Not determined               |
| <b>Flash point:</b>   | >200 °C                      |
| <b>Auto-ignition temperature:</b>                               | Product is not selfigniting. |
| <b>Decomposition temperature:</b>                               | Not determined               |
| <b>pH</b>   | Not determined               |
| <b>Viscosity:</b>   |                              |
| <b>Kinematic viscosity at 40 °C</b>                             | 66 mm <sup>2</sup> /s        |
| <b>Kinematic viscosity at 100 °C</b>                            | 11.5 mm <sup>2</sup> /s      |
| <b>Dynamic:</b>   | Not determined               |
| <b>Solubility</b>   |                              |
| <b>water:</b>   | Not miscible                 |
| <b>halogenated solvents</b>                                     |                              |
| <b>aliphatic hydrocarbons:</b>                                  | Fully miscible.              |
| <b>aromatic hydrocarbons:</b>                                   | Fully miscible.              |
| <b>Partition coefficient n-octanol/water (log value)</b>        | Not determined               |
| <b>Vapour pressure:</b>   | Not determined               |
| <b>Density and/or relative density</b>                          |                              |
| <b>Density:</b>   | 0.845 kg/m <sup>3</sup>      |
| <b>Relative density</b>   | Not determined               |
| <b>Vapour density</b>   | Not determined               |

**9.2 Other information**

|  |   |
|--|---|
| <b>Appearance:</b>   |   |
| <b>Form:</b>   | Liquid  |
| <b>Important information on protection of health and environment, and on safety.</b> |   |
| <b>Auto-ignition temperature:</b>  | Not determined                                |
| <b>Explosive properties:</b>   | Product does not present an explosion hazard. |

(Contd. on page 6)

**Safety data sheet**  
complying with Regulation 1907/2006/EC (REACH Regulation),  
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 07.04.2021

Version number 2

Revision: 07.04.2021

Trade name: MAGMA SYN ULTRA-S 5W30

(Contd. of page 5)

**Cloud point / clarification point:****Oxidising properties**

Not considered as oxidising.

**Evaporation rate**

Not determined

**Information with regard to physical hazard classes****Explosives**

Void

**Flammable gases**

Void

**Aerosols**

Void

**Oxidising gases**

Void

**Gases under pressure**

Void

**Flammable liquids**

Void

**Flammable solids**

Void

**Self-reactive substances and mixtures**

Void

**Pyrophoric liquids**

Void

**Pyrophoric solids**

Void

**Self-heating substances and mixtures**

Void

**Substances and mixtures, which emit flammable  
gases in contact with water**

Void

**Oxidising liquids**

Void

**Oxidising solids**

Void

**Organic peroxides**

Void

**Corrosive to metals**

Void

**Desensitised explosives**

Void

**SECTION 10: Stability and reactivity****10.1 Reactivity** Stable under normal conditions**10.2 Chemical stability** Material is stable under normal conditions.**Thermal decomposition / conditions to be avoided**

No decomposition if used and stored according to specifications.

Stable at environment temperature.

**10.3 Possibility of hazardous reactions** No dangerous reactions known.**10.4 Conditions to avoid** No further relevant information available.**10.5 Incompatible materials** No further relevant information available.**10.6 Hazardous decomposition products** No dangerous decomposition products known.**\* SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity** Based on available data, the classification criteria are not met.**LD/LC50 values relevant for classification:**

(CAS: 72623-87-1) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based

LD50, oral, rat: &gt; 5000 mg/kg

LD50, dermal, rabbit: &gt; 2000 mg/kg

LC50 (4h), inhalation, rat:  $\geq 5.53$  mg/l (dust/mists)**Skin corrosion/irritation** Based on available data, the classification criteria are not met.**Serious eye damage/irritation** Based on available data, the classification criteria are not met.**Respiratory or skin sensitisation**

May cause skin sensitisation.

(Contd. on page 7)

**Safety data sheet**  
complying with Regulation 1907/2006/EC (REACH Regulation),  
EU 2020/878 and Regulation No 1272/2008/EC (CLP)

Printing date 07.04.2021

Version number 2

Revision: 07.04.2021

**Trade name: MAGMA SYN ULTRA-S 5W30**

(Contd. of page 6)

Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**Additional toxicological information:**

**Repeated dose toxicity** Based on available data, the classification criteria are not met.

**11.2 Information on other hazards**

**Endocrine disrupting properties**

CAS: 121158-58-5 | phenol, dodecyl-, branched

List II

\* **SECTION 12: Ecological information**

**12.1 Toxicity**

**Aquatic toxicity:**

(CAS: 36878-20-3) Bis(nonylphenyl)amine

Toxicity to invertebrates

EC50 (48h): 733 mg/l

Toxicity to algae

EC50 (72h, growth rate): 600 mg/l

Toxicity to fish

LC50 (96h): >10,000 mg/l

(CAS: 121158-58-5) phenol, dodecyl-, branched

Toxicity to invertebrates

EC50 (48h): 0.037 mg/l

\* read-across data from similar material

Toxicity to invertebrates

EC50 (48h): ≤1 mg/l

\* read-across data from similar material

(CAS: 72623-87-1) Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based

LC50, fish: >100 mg/l

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

**12.5 Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

**12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.

**12.7 Other adverse effects**

Uncontrolled release of the product to the environment must be prohibited.

The product floats on water and does not mix with it.

Spillage of the product may form a layer on the water surface which can damage aquatic organism due to lack of oxygenation.

**Remark:** Harmful to fish

**Additional ecological information:**

**General notes:**

The product contains materials that are harmful to the environment.

(Contd. on page 8)

**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 07.04.2021

Version number 2

Revision: 07.04.2021

**Trade name: MAGMA SYN ULTRA-S 5W30**

Harmful to aquatic organisms (Contd. of page 7)


**\* SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

**Recommendation**



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

**Waste disposal key:** 13 02 05\* mineral-based non-chlorinated engine, gear and lubricating oils

**Uncleaned packaging:**

**Recommendation:**

Disposal must be made according to official regulations.

Packaging may be reused or recycled after cleaning.

**SECTION 14: Transport information**

|   |                 |
|---|-----------------|
| <b>14.1 UN number or ID number</b><br>ADR, ADN, IMDG, IATA              | Void            |
| <b>14.2 UN proper shipping name</b><br>ADR, ADN, IMDG, IATA             | Void            |
| <b>14.3 Transport hazard class(es)</b><br>ADR, ADN, IMDG, IATA<br>Class | Void            |
| <b>14.4 Packing group</b><br>ADR, IMDG, IATA                            | Void            |
| <b>14.5 Environmental hazards:</b>                                      | Not applicable. |
| <b>14.6 Special precautions for user</b>                                | Not applicable. |
| <b>14.7 Maritime transport in bulk according to IMO instruments</b>     | Not applicable. |
| <b>UN "Model Regulation":</b>   | Void            |

**\* SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

REACH Regulation 1907/2006/EC

Regulation (EU) 2020/878

CLP Regulation 1272/2008/EC

(Contd. on page 9)



**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 07.04.2021

Version number 2

Revision: 07.04.2021

**Trade name: MAGMA SYN ULTRA-S 5W30**

(Contd. of page 8)

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as ammended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as ammended

**Directive 2012/18/EU**

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

**REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

**National regulations:** No further information available.

**Other regulations, limitations and prohibitive regulations****Substances of very high concern (SVHC) according to REACH, Article 57**

It doesn't contain substances of very high concern (SVHC).

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Relevant phrases**

H304 May be fatal if swallowed and enters airways.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H360F May damage fertility.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

**Training hints**

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

**Version number of previous version: 1**

**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

(Contd. on page 10)



**Safety data sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2020/878 and Regulation No 1272/2008/EC (CLP)**

Printing date 07.04.2021

Version number 2

Revision: 07.04.2021

**Trade name: MAGMA SYN ULTRA-S 5W30**

(Contd. of page 9)

Repr. 1B: Reproductive toxicity – Category 1B

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4

**\* Data compared to the previous version altered.**

GB