

Printing date 11.04.2016

Version number 1

Revision: 11.04.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name: MAGMA SYN DXS 5W-30

**1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available. **Application of the substance / the mixture:** Lubricant

**1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier:** LPC S.A. Megaridos Avenue 124 Aspropyrgos - Attica , 193 00 Tel.: 210 - 809 3900 Fax: 210 - 809 3999 e-mail: technical@cyclon.gr

#### 1.4 Emergency telephone number:



Emergency telephone number: 112

### **SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture Classification according to Regulation EC No 1272/2008 CLP:** Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

#### Labelling according to Regulation EC No 1272/2008 CLP:

The product is classified and labelled according to the CLP regulation. Hazard pictograms: Void

Signal word: Void

Hazard statements: H412 Harmful to aquatic life with long lasting effects.

Precautionary statements
P273 Avoid release to the environment.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
2.3 Other hazards
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.

(Contd. on page 2)

GB

Printing date 11.04.2016

Version number 1

Revision: 11.04.2016

Trade name: MAGMA SYN DXS 5W-30

(Contd.	of page	1)
---------	---------	----

#### **SECTION 3: Composition/information on ingredients** 3.2 Chemical characterisation: Mixtures **Description:** Mixture Ingredients according Regulation (EU) 830/2015: CAS: 36878-20-3 bis(nonylphenyl)amine 0.1-≤2.5% EINECS: 253-249-4 Aquatic Chronic 4, H413 Reg.nr.: 01-2119488911-28-XXXX CAS: 121158-58-5 Phenol, dodecyl-, branched 0.1-<2.5% EC number: 310-154-3 🚸 Repr. 2, H361f; 🕸 Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=10); 🐼 Skin Irrit. 2, H315; Eye Irrit. 2, Reg.nr.: 01-2119513207-49-XXXX H319 CAS: 122-39-4 diphenylamine 0.1-≤2.5% ♦ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; ♦ STOT RE 2, H373; ♦ Aquatic Acute 1, H400; EINECS: 204-539-4 Index number: 612-026-00-5 Aquatic Chronic 1, H410 Ingredients Mineral oil 0.1-<2.5% 🚸 Asp. Tox. 1, H304 zinc O,O,O',O'-tetrakis(1,3-dimethylbutyl) CAS: 2215-35-2 0.1-<1% EINECS: 218-679-9 bis(phosphorodithioate) Eye Dam. 1, H318; () Aquatic Chronic 2, H411; () Skin Irrit. 2, H315 Phosphorodithioic acid, mixed esters, zinc salt CAS: 84605-29-8 0 1-<1% EINECS: 283-392-8 📀 Eye Dam. 1, H318; 🕸 Aquatic Chronic 2, H411; 🚸 Skin Reg.nr.: 01-2119493626-26-XXXX Irrit. 2, H315 CAS: 64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic 60-90% EINECS: 265-157-1 Index number: 649-467-00-8 Reg.nr.: 01-2119484627-25-XXXX

#### Additional information:

The classification as a carcinogen does not need to apply because the substance Distillates (petroleum), hydrotreated heavy paraffinic (cas number 64742-54-7) contains less than 3 % DMSO extract.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

**General information:** Take affected persons out into the fresh air. **After inhalation:** Seek medical treatment in case of complaints.

#### After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

#### After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

#### After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

4.2 Most important symptoms and effects, both acute and delayed Not known or expected results.

(Contd. on page 3)

(Contd. of page 2)

#### Safety Data Sheet complying with Regulation 1907/2006/EC (REACH Regulation), EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 11.04.2016

Version number 1

Revision: 11.04.2016

Trade name: MAGMA SYN DXS 5W-30

#### 4.3 Indication of any immediate medical attention and special treatment needed

No special measures are required.

### **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing agents: CO2, powder or water spray. Fight larger fire with foam. 5.2 Special hazards arising from the substance or mixture In case of fire, the following can be released:

Carbon monoxide (CO)

Carbon dioxide (CO2)

5.3 Advice for firefighters

# Protective equipment:

Mouth respiratory protective device.

Wear fully protective suit.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid contact with oxidising agents.

Keep away from ignition sources.

6.1.1 For non-emergency personnel Caution for slippery surfaces.

### 6.1.2 For emergency responders

Use chemicals resistant gloves.

Use antistatic and slip resistant boots.

#### 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

#### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel).

#### 6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

7.1 Precautions for safe handling Observe the general safety regulations when handling chemicals.

Information about fire - and explosion protection:

Keep away from sources of ignition and flammable materials.

7.2 Conditions for safe storage, including any incompatibilities

Storage: Store in cool, dry conditions in well sealed receptacles.

Requirements to be met by storerooms and receptacles:

Store in a cool location.

Prevent any seepage into the ground.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Protect from heat and direct sunlight.

7.3 Specific end use(s) No further relevant information available.

GB

(Contd. of page 3)

#### Safety Data Sheet complying with Regulation 1907/2006/EC (REACH Regulation), EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 11.04.2016

Version number 1

Revision: 11.04.2016

Trade name: MAGMA SYN DXS 5W-30

**SECTION 8: Exposure controls/personal protection** 

#### 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

122-39-4 diphenylamine

WEL Short-term value: 20 mg/m<sup>3</sup> Long-term value: 10 mg/m<sup>3</sup>

#### 8.2 Exposure controls

#### 8.2.1. Appropriate engineering controls

During the use of this product no appropriate engineering controls are needed.

**Personal protective equipment General protective and hygienic measures:** Wash hands before breaks and at the end of work. **Respiratory protection:** Not required. **Protection of hands:** 

Prote

Protective gloves

#### Eye protection:



Goggles recommended during refilling

Body protection: Oil resistant protective clothing

### **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties General Information		
Appearance:		
Form:	Liquid	
Colour:	brown	
Odour:	Oil	
Odour threshold:	Not determined	
pH value:	Not determined	
Melting point/Melting range:	Not determined	
<b>Boiling point/Boiling range:</b>	Not determined	
Flash point:	220 °C	
Flammability (solid, gaseous):	Not applicable	
Auto-ignition temperature:	Not determined	
Decomposition temperature:	Not determined	
Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
		(Contd. on page 5)



rinting date 11.04.2016	Version number 1	Revision: 11.04.201
<b>Frade name:</b> MAGMA SYN DXS 5W-	30	
		(Contd. of page
Explosion limits:		
Lower:	Not determined	
Upper:	Not determined	
Vapour pressure:	Not determined	
Density:	0.854 g/cm <sup>3</sup>	
Relative density	Not determined	
Vapour density	Not determined	
Evaporation rate	Not determined	
Solubility in / Miscibility with		
water:	Not miscible	
aliphatic hydrocarbons:	Fully miscible.	
aromatic hydrocarbons:	Fully miscible.	
Partition coefficient (n-octanol/wate	er): Not determined	
Viscosity:		
Dynamic:	Not determined	
Kinematic at 40 °C:	70,8 cSt	
Kinematic viscosity at 100 °C	12 cSt	
9.2 Other information	No further relevant information availab	ole.

#### **SECTION 10: Stability and reactivity**

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided Stable at environment temperature.

10.3 Possibility of hazardous reactions No dangerous reactions known.

**10.4 Conditions to avoid** Oxidising agents

10.5 Incompatible materials No further relevant information available.

10.6 Hazardous decomposition products No dangerous decomposition products known.

#### **SECTION 11: Toxicological information**

#### **11.1 Information on toxicological effects**

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:			
Oral	LD50	100000 mg/kg	
Dermal	LD50	100000 mg/kg 300000 mg/kg	
Inhalative	LC50/4 h (vapour)	3000 mg/l	

Skin corrosion/irritation Based on available data, the classification criteria are not met.
Serious eye damage/irritation Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
Germ cell mutagenicity Based on available data, the classification criteria are not met.
Carcinogenicity Based on available data, the classification criteria are not met.
Reproductive toxicity Based on available data, the classification criteria are not met.
STOT-single exposure Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 11.04.2016

Version number 1

Revision: 11.04.2016

Trade name: MAGMA SYN DXS 5W-30

Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. of page 5)

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Ecotoxical effects:

**Remark:** Harmful to fish

Additional ecological information:

#### **General notes:**

The product contains materials that are harmful to the environment.

Harmful to aquatic organisms

#### 12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable.

**vPvB:** Not applicable.

### 12.6 Other adverse effects

Uncontrolled release of the product to the environment must be prohibited.

The product floats on water and does not mix with it.

Spillage of the product may form a layer on the water surface which can damage aquatic organism due to lack of oxygenation.

### **SECTION 13: Disposal considerations**

# **13.1** Waste treatment methods Recommendation

In case of dicarding waste oil, according European Directive 75/439/EEC, recycling of the product is reccomended. Disposal of large amounts must carried out from qualified, authorized body.



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

# Uncleaned packaging:

Recommendation:

Disposal must be made according to official regulations. Packaging may be reused or recycled after cleaning.

# **SECTION 14: Transport information**

14.1 UN-Number ADR, ADN, IMDG, IATA

Void

(Contd. on page 7)

Printing date 11.04.2016	Version number 1	Revision: 11.04.2016
Trade name: MAGMA SYN DXS 5W-30		
		(Contd. of page 6)
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Annex Marpol and the IBC Code	<b>II of</b> Not applicable.	
UN "Model Regulation":	Void	

# **SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** REACH Regulation 1907/2006/EC Regulation (EU) 2015/830 CLP Regulation 1272/2008/EC

### Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

National regulations: No further information available.

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### **Relevant phrases**

H301 Toxic if swallowed.

- H311 Toxic in contact with skin.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H361f Suspected of damaging fertility.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H413 May cause long lasting harmful effects to aquatic life.

(Contd. on page 8)

(Contd. of page 7)

#### Safety Data Sheet complying with Regulation 1907/2006/EC (REACH Regulation), EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 11.04.2016

#### Version number 1

Revision: 11.04.2016

Trade name: MAGMA SYN DXS 5W-30

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity, Hazard Category 3 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 Repr. 2: Reproductive toxicity, Hazard Category 2 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3 Aquatic Chronic 4: Hazardous to the aquatic environment - Chronic Hazard, Category 4 GR