

**Safety Data Sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2015/830 and Regulation No 1272/2008/EC (CLP)**

Printing date 10.05.2016

Version number 1

Revision: 10.05.2016

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

**Trade name:** GEAR EP/GL-5 85W-90

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**Application of the substance / the mixture:** Lubricant

**1.3 Details of the supplier of the safety data sheet**

**Manufacturer/Supplier:**

LPC S.A.

Megaridos Avenue 124

Aspropyrgos - Attica , 193 00

Tel.: 210 - 809 3900

Fax: 210 - 809 3999

e-mail: [technical@cyclon.gr](mailto:technical@cyclon.gr)

**1.4 Emergency telephone number:**



Emergency telephone number: 112

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

**Classification according to Regulation EC No 1272/2008 CLP:**



GHS07

Skin Sens. 1      H317 May cause an allergic skin reaction.

Aquatic Chronic 3    H412 Harmful to aquatic life with long lasting effects.

**2.2 Label elements**

**Labelling according to Regulation EC No 1272/2008 CLP:**

The product is classified and labelled according to the CLP regulation.

**Hazard pictograms:**



GHS07

**Signal word:** Warning

**Hazard-determining components of labelling:**

Amines, C12-14-tert-alkyl

(Contd. on page 2)

GB

**Safety Data Sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2015/830 and Regulation No 1272/2008/EC (CLP)**

Printing date 10.05.2016

Version number 1

Revision: 10.05.2016

**Trade name:** GEAR EP/GL-5 85W-90

(Contd. of page 1)

**Hazard statements:**

H317 May cause an allergic skin reaction.  
H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P273 Avoid release to the environment.  
P302+P352 IF ON SKIN: Wash with plenty of water.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P363 Wash contaminated clothing before reuse.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.3 Other hazards****Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**SECTION 3: Composition/information on ingredients****3.2 Chemical characterisation: Mixtures****Description:** Mixture**Ingredients according Regulation (EU) 830/2015:**

CAS: 68955-53-3 EINECS: 273-279-1 Reg.nr.: 01-2119456798-18-XXXX	Amines, C12-14-tert-alkyl ⚠ Acute Tox. 3, H311; Acute Tox. 2, H330; ⚠ Skin Corr. 1B, H314; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302; Skin Sens. 1A, H317; STOT SE 3, H335	0.1-<1%
	Long-chain alkenyl amine ⚠ STOT RE 2, H373; Asp. Tox. 1, H304; ⚠ Skin Corr. 1B, H314; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302; STOT SE 3, H335	0.1-<1%

**Ingredients**

	alkyl phosphate ⚠ Skin Corr. 1B, H314; Aquatic Chronic 3, H412	0.1-<1%
	Alkyl dithio thiadiazole Aquatic Chronic 3, H412	0.1-≤2.5%
CAS: 64742-54-7 EINECS: 265-157-1 Index number: 649-467-00-8 Reg.nr.: 01-2119484627-25-XXXX	Distillates (petroleum), hydrotreated heavy paraffinic	60-90%

**Additional information:**

The classification as a carcinogen does not need to apply because the substance Distillates (petroleum), hydrotreated heavy paraffinic (cas number 64742-54-7) contains less than 3 % DMSO extract.

**SECTION 4: First aid measures****4.1 Description of first aid measures****General information:** Take affected persons out into the fresh air.

(Contd. on page 3)

GB

**Safety Data Sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2015/830 and Regulation No 1272/2008/EC (CLP)**

Printing date 10.05.2016

Version number 1

Revision: 10.05.2016

**Trade name:** GEAR EP/GL-5 85W-90

(Contd. of page 2)

**After inhalation:** Seek medical treatment in case of complaints.**After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

Remove contaminated clothing.

Wash contaminated clothing before use.

If skin irritation continues, consult a doctor.

**After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

**After swallowing:**

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

**4.2 Most important symptoms and effects, both acute and delayed** Not known or expected results.**4.3 Indication of any immediate medical attention and special treatment needed**

No special measures are required.

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing agents:** CO<sub>2</sub>, powder or water spray. Fight larger fire with foam.**5.2 Special hazards arising from the substance or mixture**

In case of fire, the following can be released:

Carbon monoxide (CO)

Carbon dioxide (CO<sub>2</sub>)**5.3 Advice for firefighters****Protective equipment:**

Wear fully protective suit.

Mouth respiratory protective device.

**Additional information** Collect contaminated fire fighting water separately. It must not enter the sewage system.**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures:**

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources.

**6.1.1 For non-emergency personnel**

Keep away from ignition sources.

Caution for slippery surfaces.

Avoid contact with skin and eyes.

**6.1.2 For emergency responders**

Use chemicals resistant gloves.

Use antistatic and slip resistant boots.

**6.2 Environmental precautions:**

Do not allow to enter sewers/ surface or ground water.

Prevent from spreading (e.g. by damming-in or oil barriers).

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to penetrate the ground/soil.

**6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel).

**6.4 Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

**Safety Data Sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2015/830 and Regulation No 1272/2008/EC (CLP)**

Printing date 10.05.2016

Version number 1

Revision: 10.05.2016

**Trade name:** GEAR EP/GL-5 85W-90

See Section 13 for disposal information.

(Contd. of page 3)

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Avoid contact with skin, eyes and clothing.

Use adequate personal protective equipment as required. For more information regarding protective equipment see section 8.

**Information about fire - and explosion protection:**

Keep away from sources of ignition and flammable materials.

**7.2 Conditions for safe storage, including any incompatibilities****Storage:**

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

**Requirements to be met by storerooms and receptacles:**

Store in a cool location.

Prevent any seepage into the ground.

**Information about storage in one common storage facility:** Not required.**Further information about storage conditions:** None.**7.3 Specific end use(s)** No further relevant information available.**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**8.2 Exposure controls****8.2.1. Appropriate engineering controls** Use of local ventilation is advised.**Personal protective equipment****General protective and hygienic measures:** Wash hands before breaks and at the end of work.**Respiratory protection:** Not required.**Protection of hands:**

Protective gloves

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

The determined penetration times according to EN 374 part III are not performed under practical conditions.

Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

(Contd. on page 5)

GB

**Safety Data Sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2015/830 and Regulation No 1272/2008/EC (CLP)**

Printing date 10.05.2016

Version number 1

Revision: 10.05.2016

**Trade name:** GEAR EP/GL-5 85W-90

(Contd. of page 4)

**Eye protection:**

Safety glasses

**Body protection:**

Protective work clothing

Oil resistant protective clothing

**Environmental exposure controls:** No further recommendations. See section 6.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### General Information

#### Appearance:

<b>Form:</b>	Liquid
<b>Colour:</b>	brown
<b>Odour:</b>	Oil
<b>Odour threshold:</b>	Not determined

<b>pH value:</b>	Not determined
<b>Melting point/Melting range:</b>	Not determined
<b>Boiling point/Boiling range:</b>	Not determined

<b>Flash point:</b>	220 °C
---------------------	--------

<b>Flammability (solid, gaseous):</b>	Not applicable
---------------------------------------	----------------

<b>Auto-ignition temperature:</b>	Not determined
-----------------------------------	----------------

<b>Decomposition temperature:</b>	Not determined
-----------------------------------	----------------

<b>Self-igniting:</b>	Product is not selfigniting.
-----------------------	------------------------------

<b>Danger of explosion:</b>	Product does not present an explosion hazard.
-----------------------------	---

<b>Explosion limits:</b>	
<b>Lower:</b>	Not determined
<b>Upper:</b>	Not determined

<b>Vapour pressure:</b>	Not determined
-------------------------	----------------

<b>Density:</b>	0,8902 g/cm <sup>3</sup>
<b>Relative density</b>	Not determined
<b>Vapour density</b>	Not determined
<b>Evaporation rate</b>	Not determined

<b>Solubility in / Miscibility with water:</b>	Not miscible
<b>aliphatic hydrocarbons:</b>	Fully miscible.
<b>aromatic hydrocarbons:</b>	Fully miscible.

<b>Partition coefficient (n-octanol/water):</b>	Not determined
---	----------------

(Contd. on page 6)

GB

**Safety Data Sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2015/830 and Regulation No 1272/2008/EC (CLP)**

Printing date 10.05.2016

Version number 1

Revision: 10.05.2016

**Trade name:** GEAR EP/GL-5 85W-90

(Contd. of page 5)

**Viscosity:****Dynamic:** Not determined**Kinematic at 40 °C:** 147 cSt**Kinematic viscosity at 100 °C** 14,8 cSt**9.2 Other information** No further relevant information available.**SECTION 10: Stability and reactivity****10.1 Reactivity** No further relevant information available.**10.2 Chemical stability****Thermal decomposition / conditions to be avoided** Stable at environment temperature.**10.3 Possibility of hazardous reactions** No dangerous reactions known.**10.4 Conditions to avoid**

Avoid heat, sparkles, naked flame or other sources of ignition.

Oxidising agents

**10.5 Incompatible materials** No further relevant information available.**10.6 Hazardous decomposition products** No dangerous decomposition products known.**SECTION 11: Toxicological information****11.1 Information on toxicological effects****Acute toxicity** Based on available data, the classification criteria are not met.**Skin corrosion/irritation** Based on available data, the classification criteria are not met.**Serious eye damage/irritation** Based on available data, the classification criteria are not met.**Respiratory or skin sensitisation**

May cause an allergic skin reaction.

**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)****Germ cell mutagenicity** Based on available data, the classification criteria are not met.**Carcinogenicity** Based on available data, the classification criteria are not met.**Reproductive toxicity** Based on available data, the classification criteria are not met.**STOT-single exposure** Based on available data, the classification criteria are not met.**STOT-repeated exposure** Based on available data, the classification criteria are not met.**Aspiration hazard** Based on available data, the classification criteria are not met.**SECTION 12: Ecological information****12.1 Toxicity****Aquatic toxicity:** No further relevant information available.**12.2 Persistence and degradability** No further relevant information available.**12.3 Bioaccumulative potential** No further relevant information available.**12.4 Mobility in soil** No further relevant information available.**Additional ecological information:****General notes:**

The product contains materials that are harmful to the environment.

Harmful to aquatic organisms

**12.5 Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Other adverse effects**

Uncontrolled release of the product to the environment must be prohibited.

The product floats on water and does not mix with it.

(Contd. on page 7)

**Safety Data Sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2015/830 and Regulation No 1272/2008/EC (CLP)**

Printing date 10.05.2016

Version number 1

Revision: 10.05.2016

**Trade name:** GEAR EP/GL-5 85W-90

(Contd. of page 6)

Spillage of the product may form a layer on the water surface which can damage aquatic organism due to lack of oxygenation.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Recommendation**

In case of discarding waste oil, according European Directive 75/439/EEC, recycling of the product is recommended. Disposal of large amounts must be carried out from qualified, authorized body.



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

**Uncleaned packaging:****Recommendation:**

Disposal must be made according to official regulations.  
 Packaging may be reused or recycled after cleaning.

**SECTION 14: Transport information****14.1 UN-Number**

ADR, ADN, IMDG, IATA Void

**14.2 UN proper shipping name**

ADR, ADN, IMDG, IATA Void

**14.3 Transport hazard class(es)**

ADR, ADN, IMDG, IATA  
 Class Void

**14.4 Packing group**

ADR, IMDG, IATA Void

**14.5 Environmental hazards:**

Marine pollutant: No

**14.6 Special precautions for user** Not applicable.

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable.

**UN "Model Regulation":** Void

GB

(Contd. on page 8)

**Safety Data Sheet**  
**complying with Regulation 1907/2006/EC (REACH Regulation),**  
**EU 2015/830 and Regulation No 1272/2008/EC (CLP)**

Printing date 10.05.2016

Version number 1

Revision: 10.05.2016

**Trade name:** GEAR EP/GL-5 85W-90

(Contd. of page 7)

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH Regulation 1907/2006/EC

Regulation (EU) 2015/830

CLP Regulation 1272/2008/EC

Note L applies. DMSO content is below 3%.

#### Directive 2012/18/EU

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

**National regulations:** No further information available.

#### Other regulations, limitations and prohibitive regulations

#### Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H330 Fatal if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity, Hazard Category 4

Acute Tox. 3: Acute toxicity, Hazard Category 3

Acute Tox. 2: Acute toxicity, Hazard Category 2

Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Skin Sens. 1A: Sensitisation - Skin, Hazard Category 1A

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

Asp. Tox. 1: Aspiration hazard, Hazard Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - Acute Hazard, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3