



Printing date 13.04.2016 Version number 1 Revision: 13.04.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: MAGMA SUPER 20W-50

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture: Lubricant

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

LPC S.A.

Megaridos Avenue 124

Aspropyrgos - Attica, 193 00

Tel.: 210 - 809 3900 Fax: 210 - 809 3999

e-mail: technical@cyclon.gr

1.4 Emergency telephone number:



Emergency telephone number: 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation EC No 1272/2008 CLP:

This product does not meet the criteria for classification in any hazard class according to Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.

2.2 Label elements

Labelling according to Regulation EC No 1272/2008 CLP: Void

Hazard pictograms: Void

Signal word: Void

Hazard statements: Void **Additional information:**

EUH208 Contains Calcium di(alkyl(C20-C24, even numbered) branched)-methyl benzenesulfonate. May

produce an allergic reaction.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

Description: Mixture

(Contd. on page 2)

Printing date 13.04.2016 Version number 1 Revision: 13.04.2016

Trade name: MAGMA SUPER 20W-50

			(Contd. of page 1)		
Ingredients according Regulation (EU) 830/2015:					
Polymer Polyolefin polyamine succinimide, polyol		Aquatic Chronic 4, H413	2.5-<10%		
Ingredients					
CAS: 68649-42-3 EINECS: 272-028-3 Reg.nr.: 01-2119493635-27-XXXX	Zinc alkyl dithiophosphate ♦ Eye Dam. 1, H318; ♦ Aquati	0.1-<1%			
CAS: 90480-91-4 EINECS: 291-829-9 Reg.nr.: 01-2119524004-56-XXXX	Phenol, 2,2'-polythiobis[4- C8-30-alkyl derivs., calcium salts, overbased Aguatic Chronic 4, H413		0.1-≤2.5%		
CAS: 722503-69-7 Polymer	Calcium di(alkyl(C20-C24, even benzenesulfonate Skin Sens. 1, H317; Aquatic C	· · · · · · · · · · · · · · · · · · ·	0.1-<1%		
CAS: 74499-35-7	Branched alkylphenol and Calcium Repr. 1B, H360; Aquatic Olrrit. 2, H315; Eye Irrit. 2, H319	m branched alkylphenol	0.1-<0.3%		
CAS: 64742-54-7 EINECS: 265-157-1 Index number: 649-467-00-8 Reg.nr.: 01-2119484627-25-XXXX	Distillates (petroleum), hydrotreat	ted heavy paraffinic	60-90%		

Additional information:

The classification as a carcinogen does not need to apply because the substance Distillates (petroleum), hydrotreated heavy paraffinic (cas number 64742-54-7) contains less than 3 % DMSO extract.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Take affected persons out into the fresh air. **After inhalation:** Seek medical treatment in case of complaints.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

4.2 Most important symptoms and effects, both acute and delayed Not known or expected results.

4.3 Indication of any immediate medical attention and special treatment needed

No special measures are required.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: CO2, powder or water spray. Fight larger fire with foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Carbon dioxide (CO2)

5.3 Advice for firefighters

Protective equipment: Mouth respiratory protective device.

(Contd. on page 3)

Printing date 13.04.2016 Version number 1 Revision: 13.04.2016

Trade name: MAGMA SUPER 20W-50

(Contd. of page 2)

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Keep away from ignition sources.

Particular danger of slipping on leaked/spilled product.

Avoid contact with oxidising agents.

6.1.1 For non-emergency personnel

Caution for slippery surfaces.

Avoid contact with skin and eyes.

6.1.2 For emergency responders

Use chemicals resistant gloves.

Use antistatic and slip resistant boots.

6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Prevent from spreading (e.g. by damming-in or oil barriers).

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel).

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Avoid contact with skin, eyes and clothing.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Not required.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

8.2 Exposure controls

8.2.1. Appropriate engineering controls

During the use of this product no appropriate engineering controls are needed.

Personal protective equipment

General protective and hygienic measures: Wash hands before breaks and at the end of work.

Respiratory protection: Not required.

(Contd. on page 4)

(Contd. of page 3)

Safety Data Sheet complying with Regulation 1907/2006/EC (REACH Regulation), EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 13.04.2016 Version number 1 Revision: 13.04.2016

Trade name: MAGMA SUPER 20W-50

Protection of hands:



Protective gloves

Penetration time of glove material

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eve protection: Not required.

Body protection:



Protective work clothing

SECTION 9: Phy	ysical and	l chemical	prop	oerties
----------------	------------	------------	------	---------

9.1	Information	on	basic	physical	and	chemical	properties
	1 T C	. •					

General Information

Appearance:

Form: Liquid Colour: brown

Odour: Characteristic of lubricants

Odour threshold: Not determined

pH value: Not determinedMelting point/Melting range: Not determinedBoiling point/Boiling range: Not determined

Flash point: 230 °C

Flammability (solid, gaseous): Not applicable

Auto-ignition temperature: Not determined

Decomposition temperature: Not determined

Self-igniting: Product is not selfigniting.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower: Not determined Upper: Not determined

Vapour pressure: Not determined

Density:0,8866 g/cm³Relative densityNot determinedVapour densityNot determinedEvaporation rateNot determined

Solubility in / Miscibility with

water:

aliphatic hydrocarbons:

aromatic hydrocarbons:

Fully miscible.

Fully miscible.

(Contd. on page 5)

Printing date 13.04.2016 Version number 1 Revision: 13.04.2016

Trade name: MAGMA SUPER 20W-50

(Contd. of page 4)

Partition coefficient (n-octanol/water): Not determined

Viscosity:

Dynamic:Not determined

Kinematic at 40 °C:
176,6 cSt

Kinematic viscosity at 100 °C
19.1 cSt

9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided Stable at environment temperature.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials No further relevant information available.
- 10.6 Hazardous decomposition products No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation May cause skin sensitisation.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects

Uncontrolled release of the product to the environment must be prohibited.

The product floats on water and does not mix with it.

Spillage of the product may form a layer on the water surface which can damage aquatic organism due to lack of oxygenation.

3B –

Printing date 13.04.2016 Version number 1 Revision: 13.04.2016

Trade name: MAGMA SUPER 20W-50

(Contd. of page 5)

SECTION 13: Disposal considerations

13.1 Waste treatment methods Recommendation



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation:

Disposal must be made according to official regulations.

Packaging may be reused or recycled after cleaning.

SECTION 14: Transport information		
14.1 UN-Number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Ann Marpol and the IBC Code	nex II of Not applicable.	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH Regulation 1907/2006/EC Regulation (EU) 2015/830 CLP Regulation 1272/2008/EC

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

(Contd. on page 7)

Printing date 13.04.2016 Version number 1 Revision: 13.04.2016

Trade name: MAGMA SUPER 20W-50

(Contd. of page 6)

National regulations: No further information available.

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H413 May cause long lasting harmful effects to aquatic life.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

Aquatic Chronic 4: Hazardous to the aquatic environment - Chronic Hazard, Category 4

GB