

Printing date 08.06.2016

Version number 1

Revision: 08.06.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: POSEIDON HT/4050

1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. **Application of the substance / the mixture:** Lubricant

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: LPC S.A.
Megaridos Avenue 124
Aspropyrgos - Attica , 193 00
Tel.: 210 - 809 3900
Fax: 210 - 809 3999
e-mail: technical@cyclon.gr
1.4 Emergency telephone number:



Emergency telephone number: 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation EC No 1272/2008 CLP:

GHS08 health hazard

Repr. 1BH360 May damage fertility or the unborn child.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation EC No 1272/2008 CLP: The product is classified and labelled according to the CLP regulation. Hazard pictograms:



Signal word: Danger

Hazard-determining components of labelling: Branched alkylphenol and Calcium branched alkylphenol

(Contd. on page 2)

Printing date 08.06.2016

Version number 1

Revision: 08.06.2016

Trade name: POSEIDON HT/4050

(Contd. of page 1)

Hazard statements:

H360 May damage fertility or the unborn child. H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P201 Obtain special instructions before use.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

EUH208 Contains Calcium long chain alkaryl sulfonate. May produce an allergic reaction.

2.3 Other hazards

Results of PBT and vPvB assessment PBT: Not applicable. **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Ingredients according Regulation (EU) 830/2015:	
CAS: 64742-54-7 EINECS: 265-157-1 Index number: 649-467-00-8 Reg.nr.: 01-2119484627-25-XXXX	Distillates (petroleum), hydrotreated heavy paraffinic	60-90%
Polymer	Calcium long chain alkaryl sulfonate Aquatic Chronic 4, H413	2.5-<10%
CAS: 90480-91-4 EINECS: 291-829-9 Reg.nr.: 01-2119524004-56-XXXX	Phenol, 2,2'-polythiobis[4- C8-30-alkyl derivs., calcium salts, overbased Aquatic Chronic 4, H413	0.1-≤2.5%
CAS: 68649-42-3 EINECS: 272-028-3 Reg.nr.: 01-2119493635-27-XXXX	Zinc alkyl dithiophosphate Eye Dam. 1, H318; Aquatic Chronic 2, H411	0.1-<1%
CAS: 74499-35-7	Branched alkylphenol and Calcium branched alkylphenol Repr. 1B, H360; Aquatic Chronic 1, H410; Skin Irrit. 2, H315; Eye Irrit. 2, H319	0.3-<0.5%
Polymer	Polyolefin polyamine succinimide Aquatic Chronic 4, H413	0.1-≤2.5%
CAS: 722503-68-6 Polymer	Calcium long chain alkaryl sulfonate Skin Sens. 1, H317; Aquatic Chronic 4, H413	0.1-<1%
CAS: 107-21-1 EINECS: 203-473-3 Index number: 603-027-00-1 Reg.nr.: 01-2119456816-28-XXXX	ethanediol 😵 STOT RE 2, H373; 🕩 Acute Tox. 4, H302	0.1-≤2.5%
CAS: 15220-87-8 Polymer	1-Propene, pentamer Asp. Tox. 1, H304; Aquatic Chronic 2, H411	<0.1% (Contd. on page 3

Printing date 08.06.2016

Version number 1

Revision: 08.06.2016

Trade name: POSEIDON HT/4050

Additional information:

(Contd. of page 2)

The classification as a carcinogen does not need to apply because the substance Distillates (petroleum), hydrotreated heavy paraffinic (cas number 64742-54-7) contains less than 3 % DMSO extract.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Take affected persons out into the fresh air.

After inhalation: Seek medical treatment in case of complaints.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

Remove contaminated clothing.

After eye contact:

Rinse opened eye for at least 15 minutes under running water.

Avoid strong water jet-risk of cornea damage, consult a doctor.

After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

4.2 Most important symptoms and effects, both acute and delayed Not known or expected results.

4.3 Indication of any immediate medical attention and special treatment needed

No special measures are required.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: CO2, powder or water spray. Fight larger fire with foam.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

6.1.1 For non-emergency personnel

Avoid contact with spilled material.

Keep away from ignition sources.

Ensure sufficient ventilation.

Caution for slippery surfaces.

6.1.2 For emergency responders

Use safety goggles, in case of contact with the eyes.

Use chemicals resistant gloves.

Use antistatic and slip resistant boots.

Use self-contained breathing apparatus and protective clothing.

6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Prevent from spreading (e.g. by damming-in or oil barriers).

Do not allow to penetrate the ground/soil.

(Contd. on page 4)

(Contd. of page 3)

Safety Data Sheet complying with Regulation 1907/2006/EC (REACH Regulation), EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 08.06.2016

Version number 1

Revision: 08.06.2016

Trade name: POSEIDON HT/4050

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel). **6.4 Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Open and handle receptacle with care. Ensure good ventilation/exhaustion at the workplace. Information about fire - and explosion protection: Keep respiratory protective device available. Keep away from sources of ignition and flammable materials. 7.2 Conditions for safe storage, including any incompatibilities Storage: Protect from heat and direct sunlight. Requirements to be met by storerooms and receptacles: Store in a cool location. Prevent any seepage into the ground. Information about storage in one common storage facility: Not required. Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles. Store under lock and key and with access restricted to technical experts or the

Store under lock and key and with access restricted to technical experts or their assistants only.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

8.2 Exposure controls

8.2.1. Appropriate engineering controls

It is recommended that the product is stored and handled in closed systems.

Personal protective equipment

General protective and hygienic measures: Wash hands before breaks and at the end of work. Respiratory protection:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Printing date 08.06.2016

Version number 1

Revision: 08.06.2016

Trade name: POSEIDON HT/4050

(Contd. of page 4)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. **Penetration time of glove material**

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended. **Eve protection:**



Goggles recommended during refilling

Body protection:



Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical a General Information	and chemical properties	
Appearance:		
Form:	Liquid	
Colour:	brown	
Odour:	Oil	
Odour threshold:	Not determined	
pH value:	Not determined	
Melting point/Melting range:	Not determined	
Boiling point/Boiling range:	Not determined	
Flash point:	251 °C	
Flammability (solid, gaseous):	Not applicable	
Auto-ignition temperature:	Not determined	
Decomposition temperature:	Not determined	
Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined	
Upper:	Not determined	
Oxidising properties	Not considered as oxidising.	
Vapour pressure:	Not determined	
Density:	0,915 g/cm ³	
Relative density	Not determined	
Vapour density	Not determined	
Evaporation rate	Not determined	
		(Contd. on pag

Printing date 08.06.2016	Version number 1	Revision: 08.06.2016
Frade name: POSEIDON HT/4050		
		(Contd. of page 5)
Solubility in / Miscibility with		
water:	Not miscible	
aliphatic hydrocarbons:	Fully miscible.	
aromatic hydrocarbons:	Fully miscible.	
Partition coefficient (n-octanol/wat	er): Not determined	
Viscosity:		
Dynamic:	Not determined	
Kinematic at 40 °C:	140 cSt	
Kinematic viscosity at 100 °C	14 cSt	
9.2 Other information	No further relevant information available	ole.

SECTION 10: Stability and reactivity

10.1 Reactivity Stable under normal conditions

10.2 Chemical stability

Thermal decomposition / conditions to be avoided Stable at environment temperature.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials No further relevant information available.

10.6 Hazardous decomposition products No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Repr. 1B

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity

The product is classified as toxic to Reproduction Category 1B.

May damage fertility or the unborn child.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity
Aquatic toxicity: No further relevant information available.
12.2 Persistence and degradability No further relevant information available.
12.3 Bioaccumulative potential No further relevant information available.
12.4 Mobility in soil No further relevant information available.
Ecotoxical effects:
Remark: Harmful to fish

(Contd. on page 7)

GB -

(Contd. of page 6)

Safety Data Sheet complying with Regulation 1907/2006/EC (REACH Regulation), EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 08.06.2016

Version number 1

Revision: 08.06.2016

Trade name: POSEIDON HT/4050

Additional ecological information:

General notes:

The product contains materials that are harmful to the environment. Harmful to aquatic organisms **12.5 Results of PBT and vPvB assessment PBT:** Not applicable. **vPvB:** Not applicable. **12.6 Other adverse effects**

Uncontrolled release of the product to the environment must be prohibited.

The product floats on water and does not mix with it.

Spillage of the product may form a layer on the water surface which can damage aquatic organism due to lack of oxygenation.

SECTION 13: Disposal considerations

13.1 Waste treatment methods Recommendation



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

In case of dicarding waste oil, according European Directive 75/439/EEC, recycling of the product is reccomended. Disposal of large amounts must carried out from qualified, authorized body.

Uncleaned packaging: Recommendation:

Disposal must be made according to official regulations. Packaging may be reused or recycled after cleaning.

SECTION 14: Transport information		
14.1 UN-Number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDĞ, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
		(Contd. on page 8)

Printing date 08.06.2016

Version number 1

Revision: 08.06.2016

Trade name: POSEIDON HT/4050

		(Contd. of page 7)
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Ann	nex II of	
Marpol and the IBC Code	Not applicable.	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture REACH Regulation 1907/2006/EC

Regulation (EU) 2015/830

CLP Regulation 1272/2008/EC

Constituents of the mixture that fall within the scope of REACH Regulation 1907/2006/EC, have been (pre)-registered from their suppliers.

Note L applies. DMSO content is below 3%.

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as ammended.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as ammended

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

National regulations: No further information available.

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H360 May damage fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

Training hints

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

(Contd. on page 9)

(Contd. of page 8)

Safety Data Sheet complying with Regulation 1907/2006/EC (REACH Regulation), EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 08.06.2016

Version number 1

Revision: 08.06.2016

Trade name: POSEIDON HT/4050

Abb	reviations	and	acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Repr. 1B: Reproductive toxicity, Hazard Category 1B STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 Asp. Tox. 1: Aspiration hazard, Hazard Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3 Aquatic Chronic 4: Hazardous to the aquatic environment - Chronic Hazard, Category 4 GB